



ACCESSORIES 2026

SYSTEM PARTS & ACCESSORIES

Hand Held TDS Meter (With Case)

Fast and accurate measurement of TDS (and temperature).



Ordering & Prices

W0046 Hand Held TDS Meter

In Line Dual TDS meter

Dual in line TDS meter. Robust, durable, quality TDS Meter.



Ordering & Prices

W0046B In Line Dual TDS meter

Stainless Hose Clips

For 1/2" Hose.



Ordering & Prices

R0861 Stainless Hose Clips

Safety Warning Sign

Highly robust, double sided warning sign.



Ordering & Prices

W0066 Safety Warning Sign

Stainless Steel Van Ports

Stainless steel van ports for attaching hoses. Available with either 1/2 inch 'hose lock' style or John Guest style hose tail connections on the inside. (External connections are 'hose lock' style)



Ordering & Prices

SPJG1 S/Steel Port -1 JG Connector
 SPJG2 S/Steel Port -2 JG Connectors
 SPJG3 S/Steel Port -3 JG Connectors
 SPHT1 S/Steel Port -1 Hosetail Connector
 SPHT2 S/Steel Port -2 Hosetail Connectors
 SPHT3 S/Steel Port -3 Hosetail Connectors

Pump Controllers

PC01SA Compatible with:
Triton, Proteus & V4 DiFuse



PC02SA Compatible with:
- Triton, Titan, Proteus, Hydros, Delivery Unit, Thermopure Delivery Unit, V4 Fuse, V4 DiFuse, V4 Fusion & V4 Fusion S

PC03SA Compatible with:
- Titan, V4 Fuse, V4 Fusion, V4 Fusion S & Triton with PFS & ROMS Upgrade.

Ordering & Prices See compatibility above

PC01SA Digital Pump Controller with Fill Sequence
 PC02SA Digital Pump Controller
 PC03SA Digital Pump Controller with Fill Sequence

Ionic 100PSI 12V Water Pump

100PSI water pump, with pressure switch.



Ordering & Prices

W0036 Ionic 100psi 12V Water Pump

100PSI Pressure Switch



Ordering & Prices

W0036A Switch Assembly
 W0036B 1/2" Elbow Fitting
 W0036E 3/8" Elbow Fitting



Roof Rake™ kits convert your waterfed pole into a moss removal rake for roof cleaning. Made from a rigid, reinforced plastic construction, Roof Rake™ is quieter, lightweight and has a wider scraper than metal alternatives. Rakes for all common tile types available.

Roof Rake Complete Kits

Kit includes: Vertigo, Swift or Grafter head fitments (depending on your Hydra pole head option), complete set of roof rakes (1 of each tile type), rake fixing bolts and Allen key for fitting and replacing rakes.

Ordering & Prices

RR-KIT-V Roof Rake Kit for Vertigo Head
 RR-KIT-G Roof Rake Kit for Grafter Head
 RR-KIT-S Roof Rake Kit for Swift Head
 RR-KIT-SSW Roof Rake Kit for Swift Head SideWinder (swivel) version

Metal Roof Scrapers & Head Attachment Kit

Eliminates the danger of climbing on roofs to remove unsightly moss. Simply select the blade to suit the roof tile profile, attach to telescopic pole, position at the top of the roof and pull down towards you to quickly and effectively remove moss.

*Head attachment compatible with Hydra Grafter Head Waterfed poles (Euro/German thread fitting).

Ordering & Prices

SKYSCRAPER Head and Complete Set of Scrapers

Replacement Roof Rakes

Replacement consumable Roof Rakes, available to fit the profile of a wide range of commonly used tile types. (Call us if you have a particular tile not listed below).

Ordering & Prices Tile Type

RR-REDREN Redland Renown
 RR-REDREG Redland Regent
 RR-REDGRO Redland Grovesbury
 RR-MARMEN Marley Mendip
 RR-MARLUD-P Marley Ludlow Plus
 RR-MARLUD-M Marley Ludlow Major
 RR-MARDOR Marley Double Roman
 RR-MARWES Marley Wessex
 RR-ANCBR Anchor Bold Roll
 RR-FLAT Flat Tile



Softwashing Chemicals

Roof Cleaner PLUS is a professional-grade biocide designed to treat and prevent organic growth on roofs and exterior surfaces. Contact Cleaner is a Sodium Hypochlorite with an added surfactant (to increase dwell time) used for treating organic growth on walls, patios and other exterior surfaces.

Ordering & Prices

RCP5L Roof Cleaner PLUS 5L
 C5L Contact Cleaner 5L
 C25L Contact Cleaner 25L (Collection only)



Softwash Spray Head & Mix Valve

Enables mixing at the point of use and application of biocide chemicals. *To be used with the Roof Wand only.*

Ordering & Prices

RW-CI Softwash Spray Head & Mix Valve



FILTER CARTRIDGES, HOUSINGS & ACCESSORIES

Ionic Filter Cartridges



IFSED Sediment Filter 30"
IFSED-S Sediment Filter 12"



IFCARBON Carbon Filter 30"
IFCARBON-S Carbon Filter 12"



IFSOFT Water Softening Cartridge



IFRO Reverse Osmosis Membrane



IFDI DI Filter 30"
IFDI-S DI Filter 12"



IFNGDI Ionic NGDI Filter Cartridge



ULP4040 4040 RO Membrane

Ionic Linear Filters



W0071 30" Carbon Filter



W0080 30" 5 Micron Sediment Filter



W0072 30" Linear Softening Filter



I30RO Ionic 30" Reverse Osmosis Filter



W0069 30" GREEN C/C DI Filter (30ppm)

WR002 12-inch GREEN C/C DI Filter (30ppm)



W0070 30" BLUE C/C DI Filter (0ppm)

WR004 12-inch BLUE C/C DI Filter (0ppm)

Ionic S/S Filter Housing



Ordering & Prices

SFHJG Stainless Filter Housing - JG
SRHJG Stainless RO Housing - JG

Ionic Filter Plastic Housing



Ordering & Prices

IFHB Ionic Filter Housing Complete 30"
IFHB-S Ionic Filter Housing Complete 12"
IROHB Ionic RO Housing Complete 30"

Ionic RO Filter Housing



Ordering & Prices

SS4040H 40" Stainless RO Housing

Salt Backwash Canister



Ordering & Prices

W0053A Salt Backwash Cannister
W0053 10" Filter Housing
W0042 Male QRC x 3/4" Male Thread
R0288 3/4" Male to 1/2" Hosetail
R0591 3/4" Male to 90 degree 1/2" Hosetail
R0861 Stainless Hose Clips
R0184 Roll of PTFE Tape

10" Pre Filters



Ordering & Prices

W0008 10" Sediment Filter
W0010 10" Sintered Carbon Filter

Ionic Filter Housing - End Cap



Ordering & Prices

IFHECB Filter Housing End Cap
IFHSR Filter Housing Snap Ring
OR01 O Ring

Ionic Filter Keyring

Filter end cap removal tool/keyring.



Ordering & Prices

FKR01 Ionic Filter Keyring

Filter Clamps



Ordering & Prices

R0675 Filter Clamps (Each)

Resin

Our mixed bed DI ion exchange resin- for use in multi filter purification systems in conjunction with an Reverse Osmosis Filter (in hard water areas), or in soft water areas (without Reverse Osmosis filter). This resin has been tested and certified by the Water Quality Association. Our softening resin is used within softener filters. Can be regenerated using granulated salt.



Ordering & Prices

PMB101-2B 25L Mixed Bed DI Resin
PC002B 25L Softening Resin

25kg Granulite Salt

Salt granules for water softening systems.



Ordering & Prices

W0112 25kg Granulite Salt

HOSE FITTINGS

Female QR Fitting (1/2 inch)

Female quick release fitting for 1/2 inch hose.



Ordering & Prices

R0506 Female QR 1/2 inch

Female QR Fitting With Regulator (1/2 inch)

Female quick release fitting for 1/2 inch hose with flow regulator.



Ordering & Prices

R0505 Female w/Regulator 1/2 inch

Female QR Fitting (3/4 inch)

Female quick-release fitting for 3/4 inch hose.



Ordering & Prices

R1189 Female QR 3/4 inch

Female QR Fitting for RX Hose with Auto Stop

Female quick release fitting for RX Hose and other 8mm diameter hose. With auto stop mechanism. (Automatically stops the water flow when disconnected).



Ordering & Prices

8MMAS Auto Stop 8mm

Female QR Fitting with Auto Stop (1/2 inch)

Female quick release fitting for 1/2 inch hose with auto stop mechanism. (Automatically stops the water when disconnected).



Ordering & Prices

R0508 Female w/Auto-Stop 1/2 inch

Double Male QR Fitting .

Double male connector for QR fittings. The blocked fitting is used to plug open hoses to prevent leaking etc.



Ordering & Prices

R0677 Double-Male
R0677A Blocked

Tap Adaptor for QR Fittings

Adapts tap with 3/8-inch or 1/2-inch threads to QR.



Ordering & Prices

R0510 Tap Adaptor

Ball Valve

Push fit valve connection for 1/2 inch hose.



Ordering & Prices

BV001 Ball Valve for 1/2 Inch Hose

JG 12mm Stem Elbow

Push fit stem elbow 12mm.



Ordering & Prices

JGSE JG 12mm Stem Elbow

JG 12mm Equal Elbow

Push fit 12mm equal elbow Connector.



Ordering & Prices

JGEE JG 12mm Equal Elbow

JG 12mm 2-Way Divider

John Guest 2 Way divider/splitter.



Ordering & Prices

JG2W JG 12mm 2-Way Divider

QR Female Fitting & Adaptor for RX Hose

Female brass QR auto stop fitting and adaptor for smaller diameter hoses (such as Ionic RX hose).



Ordering & Prices

RXHADA RX Hose Adapter - 3/8" Hose to 1/2" Fitting
P0100A 'O' Clip 13-15mm

JG Straight Connector

John Guest equal straight connector 12mm.



Ordering & Prices

JGESC JG Straight Connector

Brass QR Female Fitting - with Auto Stop

Brass quick release female fitting for 1/2 inch hose with auto stop mechanism.

(Automatically stops the water flow when disconnected).



Ordering & Prices

R0978A 1/2" Brass Quick Release-Auto Stop

JG 12mm T-Splitter.

Push fit 12mm T-Splitter Connector.



Ordering & Prices

JGET JG 12mm T-Splitter

JG Reducer

John Guest 12mm x 8mm reducer.



Ordering & Prices

JG128R JG Reducer

JG Check Valve

John Guest 12mm single check valve.



Ordering & Prices

JGSCV JG Check Valve

JG Plug

John Guest 12mm plug.



Ordering & Prices

JGP12 JG Plug

JG 1/2 Inch Straight Adapter

John Guest 12mm x 1/2" straight Adapter.



Ordering & Prices

JGSA JG 1/2 Inch Straight Adapter

John Guest Female Adaptor

John Guest female adaptor 12mm x 1/2".



Ordering & Prices

JGFA John Guest Female Adaptor

JG End Stop

John Guest non-threaded end Stop.



Ordering & Prices

JGES John Guest End Stop

JG Hose Insert

12mm tube insert.



Ordering & Prices

DMTI Hose insert

JG 12mm Bulkhead Connector

12mm metric push in fitting.



Ordering & Prices

JGBC JG 12mm Bulkhead

JG 12mm Valve

Push fit inline shut off valve.



Ordering & Prices

DM12SOV 12mm Valve

RX Hose

Our RX hose available in either 6mm (orange) or 8mm (blue). Supplied in 100m rolls.



RX6100 6mm RX Hose 100m

RXH100 8mm RX Hose 100m

12mm John Guest to QR Adaptor

12mm John Guest to quick Release adapter.



Ordering & Prices

JGHLAB JG 12mm QR Adaptor

Rectus 021 Series Fittings

Rectus 021 series male hosetail & female coupling.



Ordering & Prices

REC5M 021 Series Plug -6mm Hosetail

REC6F 021 Series Coupling -6mm

REC8F 021 Series Coupling -8mm

P0100A 'O' Clip 13-15mm

P0100C 'O' Clip 7-9mm

JG 12mm Hose



colour options:



Ordering & Prices

DM12HS 12mm Hose

Per Metre

O Rings



Ordering & Prices

R0928 O Ring (See use above)

W0053E - O Ring (See use above)

OR01 O Ring (See use above)

ORING1 O Ring (See use above)

ORING2 Red O Ring (See use above)

R0290 Red Fibre Washer

HYDRA CONFIGURATION OPTIONS

HYDRA FLY LEAD

Pole hose for Hydra's quick release push fit connection. This connects your pole to your hose reel. The fly lead has a female rectus 021 series fitting which will connect to the base of the pole.



Fly leads are available with anti snag Q/R fitting (for use with hozelock style female hose reel fittings), or Rectus 021 series male fitting.

Rectus	A/Snag	Rectus	A/Snag
VFL07R	VFL07	Fly lead 7 metre	
VFL10R	VFL10	Fly lead 10 metre	
VFL16R	VFL16	Fly lead 16 metre	
VFL22R	VFL22	Fly lead 22 metre	
VFL26R	VFL26	Fly lead 26 metre	

Minimum fly lead length required for Hydra poles:

17ft - 7m	40ft - 16m
21ft - 7m	45ft - 16m
24ft - 10m	55ft - 22m
28ft - 10m	65ft - 22m
32ft - 16m	80ft - 26m
35ft - 16m	

**Our Hydra & Endura Grafter or Swift poles can be manufactured "old style", fully piped as an alternative to our quick release fly leads. Please contact us for details.



HYDRA GRAFTER™ HEAD

Suited mainly for residential cleaning. Featuring a non-curling, monofilament nylon bristle brush and adjustable angle crank.

OPTIONS:

Ionic Double Trim Residential Brush

Ionic residential brush for poles with angle cranks. Connects to the angle crank directly to give an adjustable head. With double trim, monofilament nylon bristles, which resist curling and softening (even with hot water). Has dual water jets embedded in the bristle stock.



Ordering & Prices

P0583 Ionic Residential Brush

Vikan Soft Bristle Brush

The Vikan soft bristled brush is ideal for waterfed cleaning of cladding and other more delicate surfaces, especially those prone to scratching.



Ordering & Prices

P0049D Vikan Soft Bristle Brush

Angle Crank

Connects to ionic residential brushes and allows the angle of the brush head to be adjusted.



Ordering & Prices

P0038S Angle Crank with Spring

Commercial Head Assembly Complete

Complete commercial head assembly, ready to fit to an ionic ferrule.



9" gooseneck shown in image.

***90 degree goosenecks are available in all sizes.

HYDRA SWIFT™ HEAD

Extremely robust and optimised for commercial window cleaning. Available with 14" or 18" brushes and a variety of gooseneck lengths.

OPTIONS:

Double Trim		Flocked	Double Trim		Flocked
CH914	CH914F	9" Gooseneck c/w 14" Brush head assy complete			
CH918	CH918F	9" Gooseneck c/w 18" Brush head assy complete			
CH2414	CH2414F	24" Gooseneck c/w 14" Brush head assy complete			
CH2418	CH2418F	24" Gooseneck c/w 18" Brush head assy complete			
CH3614	CH3614F	36" Gooseneck c/w 14" Brush head assy complete			
CH3618	CH3618F	36" Gooseneck c/w 18" Brush head assy complete			





HYDRA VERTIGO™ STANDARD HEAD

Vertigo Standard Head has a fixed brush and adjustable angle crank. With this option, Hydra's lightweight precision is enhanced to the max.

OPTIONS:


Hydra Vertigo Standard Head

Tubeless waterfed angle crank, fixed brush with adjustable angle crank. Flocked and dual trim brushes are available.

*Lightweight versions have fewer bristles.

Vertigo™ brushes come with an integrated rinse bar. You have the option of a pencil jet or fan jet sprayer.

Pencil Jets



Fan Jets



Ordering & Prices

VSH-14DT-P	14" Dual Trim with Pencil Jets
VSH-14F-P	14" Flocked with Pencil Jets
VSH-18DT-P	18" Dual Trim with Pencil Jets
VSH-18F-P	18" Flocked with Pencil Jets
VSH-14DTL-P	14" Dual Trim Lightweight/Pencil Jets
VSH-18DTL-P	18" Dual Trim Lightweight/Pencil Jets
VSH-14DT-F	14" Dual Trim with Fan Jets
VSH-14F-F	14" Flocked with Fan Jets
VSH-18DT-F	18" Dual Trim with Fan Jets
VSH-18F-F	18" Flocked with Fan Jets
VSH-14DTL-F	14" Dual Trim Lightweight /Fan Jets
VSH-18DTL-P	18" Dual Trim Lightweight /Fan Jets



HYDRA VERTIGO™ QUICK RELEASE HEAD

With the quick release option we've improved the design to offer versatility with the option to switch out for different brush heads (flocked or dual trim). It has also improved the fit of the ever increasing range of interchangeable tools, which enable a wide range of cleaning duties.

OPTIONS:

Hydra Vertigo Q/R Brushes with Rinse Bar

Hydra Vertigo Q/R brushes with spraying rinse bar insert. T-bar available with fan jet sprayer or pencil jet sprayer.

Flocked and dual trim available



Hydra Vertigo Q/R Neck

Available in 6", 9" and 15" comes with clamp.



Ordering & Prices

VN6	Hydra Vertigo Q/R Neck 6"
VN9	Hydra Vertigo Q/R Neck 9"
VN15	Hydra Vertigo Q/R Neck 15"



Ordering & Prices

VB14DT	14" Dual Trim with Pencil Jets
VB14F	14" Flocked with Pencil Jets
VB18DT	18" Dual Trim with Pencil Jets
VB18F	18" Flocked with Pencil Jets
VB14DTL	14" Dual Trim Lightweight/Pencil Jets
VB18DTL	18" Dual Trim Lightweight /Pencil Jets
VB14DTF	14" Dual Trim with Fan Jets
VB14FF	14" Flocked with Fan Jets
VB18DTF	18" Dual Trim with Fan Jets
VB18FF	18" Flocked with Fan Jets
VB14DTLF	14" Dual Trim Lightweight /Fan Jets
VB18DTLF	18" Dual Trim Lightweight /Fan Jets

WATERFED POLE SPARES

Ionic Double Trim Commercial Brushes

Double trim brushes for Ionic commercial heads. The double trim nylon bristles have just the right balance of suppleness and scrubbing power, and will not curl or soften even when used with hot water.

*Lightweight versions have fewer bristles.

Ordering & Prices

P0044V	14" Commercial Double Trim Brush
P0045V	18" Commercial Double Trim Brush
P0044VL	14" Lightweight Double Trim Brush
P0045VL	18" Lightweight Double Trim Brush

Ionic Flocked Brush

Robust, flocked bristles, ideal for waterfed cleaning of cladding and other more delicate surfaces, especially those prone to scratching. The shredded ends mean a softer cleaning surface). Available for commercial poles only.



Ordering & Prices

P0044FV	14" Ionic Flocked Brush
P0045FV	18" Ionic Flocked Brush

Goosenecks & Heads (Not Including Brush)

Standard goosenecks with heads for Ionic commercial poles. 90° Goosenecks are used for solar panel cleaning. Fits 14, and 18 brushes.



Ordering & Prices

GN9H18	9" Gooseneck c/w 18" Head
GN9SH18	9" Gooseneck c/w 90° 18" Head
GN24H18	24" Gooseneck c/w 18" Head
GN24SH18	24" Gooseneck c/w 90° 18" Head
GN36H18	36" Gooseneck c/w 18" Head
GN36SH18	36" Gooseneck c/w 90° 18" Head


Multipole Swap Top

Allows angle crank and residential head to be attached to commercial poles.



Ordering & Prices

W0075	Multipole Swap Top
-------	--------------------



Commercial Head Components

Equal straight connector only available on 24" & 36" goosenecks..

*24" gooseneck shown in image above.

Ordering & Prices

P0026	Non-Scratch Brush Screw
P0206B	Ferrule
P0103B	Ferrule Nut
P0103D	Ferrule Bolt
JG8ET	John Guest 8mm Equal Tee
JG8ESC	John Guest 8mm Equal Straight

Ionic Solar Panel Cleaning Head

Commercial head with 90 degree gooseneck, giving the optimum angle for solar panel cleaning.



Ordering & Prices

CH9S14	Solar Panel Head Assy with 14" Brush
CH9S18	Solar Panel Head Assy with 18" Brush

Hydra Pole Microfibre Pads & Holder

New microfibre pad range that fit via a pad holder to the Hydra waterfed pole. Pad holders available for Hydra Gaffer, Swift, Vertigo Q/R and Vertigo Standard heads.



Ordering & Prices

BPH	Bonnet Pad Holder
BP-MPP	Bonnet Pad -Mixed PP
BP-PPS	Bonnet Pad -PP Stripe
BP-SC	Bonnet Pad -Scrubable Chenille

The SideWinder

The SideWinder head assembly for Ionic commercial poles allows the brush head to swivel laterally. This gives a huge degree of freedom, allowing the brush to reach sideways over obstacles, and even to fit between Bars and railings.



Ordering & Prices

SW1214	12" SideWinder with 14" Head Assy
SW1218	12" SideWinder with 18" Head Assy
SW1814	18" SideWinder with 14" Head Assy
SW1818	18" SideWinder with 18" Head Assy

Fly Lead Connector & Base

Hydra Fly lead connector cap and base.



Ordering & Prices

PCC	Pole Connector Cap
PCB	Pole Connector Base
REC6F	021 Series Coupling -6mm

Transverse Clamp Parts

Individual components of Transverse clamps for our Hydra waterfed poles (not compatible with our Endura poles).



Ordering & Prices

CS01	Transverse Clamp Screw
TCL	Transverse Clamp Lever
PN01	Transverse Clamp Pivot Nut
CS02	Clamp Spring

2mm Multiple Brush Jet

The male push fit acts as a jet for residential brushes.



Ordering & Prices

MCJET-2MM	2mm Male Jet
-----------	--------------

Anti-Snag Hose Adaptor

Hose adaptor which allows the pole hose to connect to a quick release 'hoselock' style female hose fitting.



Ordering & Prices

ASJG	Anti-Snag Hose Adaptor
------	------------------------

Hydra Vertigo Standard Head Without Brush

Vertigo standard head only.



Ordering & Prices

VSH-NB-F	Standard Head - Fan Jets
VSH-NB-P	Standard Head - Pencil Jets

Hydra Vertigo Q/R Head Socket With Jets

Head Socket for Vertigo brush (Assembled), with jets.



Ordering & Prices

P0030VAP	Vertigo head socket w/ Pencil Jets
P0030VAF	Vertigo head socket w/ Fan Jets

Vertigo Angle Crank Bolt Assembly

Individual components for our Vertigo Standard and Quick Release angle cranks.



Ordering & Prices

ACL01	Angle Crank Lever
ACB01	Angle Crank Bolt
ACS01	Angle Crank Spring
PN01	Pivot Nut

Hydra Vertigo Q/R Moerman Tool Adapter

Connects the Hydra Q/R Vertigo waterfed pole neck to a range of Moerman handtools. (see tools on page 30).



*For Hydra Vertigo Quick Release head.

Ordering & Prices

VMA	Moerman Adapter
-----	-----------------

Transverse Clamps - Body Only

Transverse clamp body for Ionic Reach & Wash® Hydra poles (not compatible with our Endura poles)..



Ordering & Prices

TC00	No.0 Transverse Clamp Body
TC01	No.1 Transverse Clamp Body
TC02	No.2 Transverse Clamp Body
TC03	No.3 Transverse Clamp Body
TC04	No.4 Transverse Clamp Body
TC05	No.5 Transverse Clamp Body
TC06	No.6 Transverse Clamp Body
TC07	No.7 Transverse Clamp Body
TC08	No.8 Transverse Clamp Body
TC09	No.9 Transverse Clamp Body
TC10	No.10 Transverse Clamp Body
G10ML	10ml Pole Repair Glue

*Please note. 10ml will glue 3x clamps

Replacement Butt Rings

Slotted butt rings to protect the bottom of the pole from damage.



Bolts for Swift and Vertigo Brush Heads

Bolts to secure our commercial brushes our Swift and Vertigo heads.



Ordering & Prices

BBB01	Brush Bolt
-------	------------

Ordering & Prices

BR-S3	Butt Ring for Hydra GF-17, Hydra CF-21, Grafter-17, Vertigo-17
BR-S4	Butt Ring for Hydra GF-21, Hydra CF-24, Grafter-21, Vertigo-21, Vertigo-25, Glyder 25
BR-S5	Butt Ring for Hydra GF-24, Hydra CF-28, Hydra CF-35, Grafter-24, Vertigo-24, Vertigo-30, Glyder 30
BR-S6	Butt Ring for Hydra GF-28, Hydra CF-32, Hydra CF-40, Hydra CF-35, Grafter-28, Vertigo-28, Vertigo-35, Glyder 35
BR-S7	Hydra GF-32, Hydra CF-45, Glyder 40, Swift 45
BR-S9	Hydra CF-55, Vertigo-55, Swift-55
BR-S10	Hydra CFP-80, Vertigo Plus-80, Swift Plus-80
BR-S11	Hydra CF-65, Vertigo-65, Swift-65
G10ML	10ml Pole Repair Glue

*Please note. The same butt rings are used for standard and PLUS carbon poles.

Pole Hose

High visibility orange 8mm OD, 5mm ID.



Ordering & Prices

R1236A	Orange Pole Hose
--------	------------------

Per Metre

POLE RACKS



Van Mounted Pole Rack

Van mounted pole rack. Mounted on the roof or side of van.

*Please call to discuss compatibility

Ordering & Prices

RMPR-S	Roof Mounted For Low Roof Van
RMPR-L	Roof Mounted For High Roof Van
W0105	Side Mounted Pole Rack

VORTEX™ GUTTER CLEANERS



Vortex Piccolo™ Gutter Vacuum with Cyclonic Side Entry

Safe and easy gutter vacuuming with this wet and dry vacuum ideal for domestic use, especially high reach applications. Now with cyclonic side entry vacuum. Available with 44mm push fit or 50mm clamped poles (both options shown in the images).

Push Fit Pole Kit Includes:

Vortex Piccolo (with 50mm cyclonic vac port), 44mm push fit standard carbon fibre poles, 5m wire reinforced suction hose, vac to hose cuff, hose to pole cuff, a selection of end attachment tools for various applications, 135 and 180 degree blue silicone flexi neck tool holders, and a pole and accessory carry bag. Choice of 3 height reaches.

Pole options:	Price
VXEL6 4 Poles 20ft/6m Reach	
VXEL9 6 Poles 30ft/9m Reach	
VXEL10.5 7 Poles 34ft/10.5m Reach	

Clamped Pole Kit Includes:

Vortex Piccolo (with 50mm cyclonic vac port), 50mm clamped carbon fibre suction poles, vac release pole, elite hairpin tool holder, 5m wire reinforced suction hose, vac to hose cuff, hose to pole cuff, a selection of elite end attachment tools for various applications, and a pole and accessory carry bag. Choice of 3 height reaches.

Pole options:	Price
VXELCP6 4 Poles 20ft/6m Reach	
VXELCP9 6 Poles 30ft/9m Reach	
VXELCP10.5 7 Poles 34ft/10.5m Reach	

Vortex™ Gutter Vacuum – Mid-Range Kits

Vacuum has three industrial strength vacuum motors giving huge suction power of 100 inches of water lift.

Kit Includes: Vortex Vacuum, 50mm clamped carbon fibre poles, vac release pole, elite hairpin tool holder, 7.5m wire reinforced suction hose, vac to hose cuff, hose to pole cuff, a selection of end attachment tools for various applications, and a pole and accessory carrying bag. Choice of 3 height reaches.

Pole options:	Price
VX752404 4 Poles 20ft/6m Reach	
VX752406 6 Poles 30ft/9m Reach	
VX752408 8 Poles 40ft/12m Reach	

Vortex™ Gutter Vacuum – Premium Range Kit With Elite Poles

This powerful system has 50% more suction lift power than its nearest rival. Three industrial strength vacuum motors giving huge suction power of 150 inches of water lift.

Kit Includes: Vortex Vacuum, drum with drain hose and sieve basket, elite 50mm carbon fibre clamped poles, elite hairpin neck tool holder, 7.5m wire reinforced suction hose, vac to hose cuff, hose to pole cuff a selection of end attachment tools for various applications, and a pole and accessory carry bag. Choice of 3 height reaches.

Pole options:	Price
VX852404 4 Poles 20ft/6m Reach	
VX852406 6 Poles 30ft/9m Reach	
VX852408 8 Poles 40ft/12m Reach	



*50mm clamped pole version shown in image to the left.

Vortex™ Suction Pole Set- EXTERNAL

44mm Push Fit Kit Includes: 44mm push fit carbon fibre poles, 5m wire reinforced suction hose, cuffs, various end attachment tools for various applications, 135 & 180 degree silicone flexi neck tool holders, pole & accessory carry bag and a hose bag. Choice of 3 height reaches.

50mm Clamped Fit Kit Includes: 50mm clamped carbon fibre poles, vac release pole, elite hairpin tool holder, 7.5m wire reinforced hose, cuffs, various end attachment tools for various applications, 135 & 180 degree silicone flexi neck tool holders, pole & accessory carry bag. Choice of 3 height reaches.

Pole options:	Price
4 Poles 20ft/6m Reach	Prices online
6 Poles 30ft/9m Reach	Prices online
8 Poles 40ft/12m Reach	Prices online



Vortex™ Trackside High Reach Safety Pole Sets

For outside train stations, made of non-conductive materials, unique interchangeable tools, no clips or brackets required to secure the poles, each pole only weighs 335 grams. Internal kits also available upon request (please see online or contact us). Choice of in 3 height reaches.

Pole options:	Price
4 Poles 20ft/6m Reach	Prices online
6 Poles 30ft/9m Reach	Prices online
8 Poles 40ft/12m Reach	Prices online

Vortex Wireless Recordable Camera Kit

Recordable system. For gutter vacuuming, high dusting vacuuming and surveillance works.



Ordering & Prices	Price
VXCAM Vortex Record Cam System	



Vortex™ Suction Pole Set- INTERNAL

Kit Includes: 44mm push fit carbon fibre poles, 65 and 155 degree carbon fibre tool holders, various tool/brush ends, flexi hose cuff, pole & accessory carry bag. Choice of 3 height reaches.

Pole options:	Price
VXIPS4 4 Poles 20ft/6m Reach	Prices online
VXIPS6 6 Poles 30ft/9m Reach	Prices online
VXIPS8 8 Poles 40ft/12m Reach	Prices online



Vortex™ Elite Carbon Fibre Pole Set

All-in-one clamped poles have the lightest weight to size ratio on the gutter cleaning market.

Kit Includes: 50mm clamped Elite carbon fibre poles, vac release pole, elite hairpin neck tool holder, 7.5m wire reinforced hose, vac to hose cuff, hose to pole cuff, carbon fibre half pole (0.75m), various angled tool holders, a selection of end tool attachments for various applications, pole and accessory carry bag. Choice in 3 height reaches.

Pole options:	Price
VXEPP4 4 Poles 20ft/6m Reach	Prices online
VXEPP6 6 Poles 30ft/9m Reach	Prices online
VXEPP8 8 Poles 40ft/12m Reach	Prices online

Vortex Wireless Non-Recordable Camera Kit

Specially designed for "real time" gutter clearance and high level inspection, the NEW and IMPROVED Camera Inspection System has a sleek new look, with larger 4.3" high quality screen.



Ordering & Prices	Price
VXNRCAM Vortex Non-Record Cam System	

Internal Brush Set

Set of brushes for internal high reach vacuuming. Fits 44mm carbon fibre suction poles.



Ordering & Prices

VXIBS Internal Brush Set

Internal Brush Set - Carbon Fibre

Set of brushes for internal high reach vacuuming. Fits 44mm carbon fibre suction poles.



Ordering & Prices

VXIBSC Internal Brush Set (Carbon)

Half Round Vac Brush for Internal Cleaning

For internal vacuuming of ducting and pipework. Fits 44mm carbon fibre suction poles or rigid neck tool holders.



Ordering & Prices

VXSHRVB Small ideal for 100mm Ducting
VXLHRVB Large ideal for 200mm

Internal Flexi Neck Brush

Brushes to fit onto 44mm carbon fibre suction poles whilst using carbon fibre or rigid neck tool holders.



Ordering & Prices

VXSIFNB Small Internal Flexi Neck Brush 200mm
VXLIFNB Large Internal Flexi Neck Brush 380mm

Rigid Tool Holder

(For Clamped Poles)

Enables the user to directly access overhead gutter cleaning projects in tight locations with restricted access. Fits 50mm carbon fibre suction poles.



Ordering & Prices

VXRN90TH Rigid neck 90° tool holder
VXRN180TH Rigid neck 180° tool holder

Daily End Tool

For general use across a variety of gutters. Fits 44mm carbon fibre suction poles.



Ordering & Prices

VXDET Daily end tool

Crevice End Tool

For accessing really tight gaps when roof tiles are encroaching over and into the gutters. Fits 44mm carbon fibre suction poles.



Ordering & Prices

VXCET Crevice end tool

Reducer End Tool

Attach to end of gutter cleaning poles to access tight guttering and difficult areas. Fits 44mm carbon fibre suction poles.



Ordering & Prices

VXRT Reducer end tool

Long End Tool

For reaching into deeper gutters and down pipes. Fits 44mm carbon fibre suction poles.



Ordering & Prices

VXLET Long end tool

Wire Reinforced Vacuum Hose

50-51mm wire reinforced vacuum hose. Available in 5m, 7.5m, 10m, and 15m lengths.



Ordering & Prices

5m Wire Reinforced Vacuum Hose
7.5m Wire Reinforced Vacuum Hose
10m Wire Reinforced Vacuum Hose
15m Wire Reinforced Vacuum Hose

Dirt Breaker End Tool

Stainless steel end tool for breaking down dirt and grass into pieces before removing from the gutters. Fits 44mm carbon fibre suction poles.



Ordering & Prices

VXDBT Dirt Breaker End Tool

Rigid Neck Tool Holder

Super lightweight, super strong carbon fibre construction. No heavy metal parts. Fits 44mm carbon fibre suction poles.



Ordering & Prices

VXCFRN Rigid Neck Tool Holder

Universal Connector

Universal connector for internal tools to fit 44mm carbon fibre suction poles.



Ordering & Prices

VXUC Universal Connector

Flexi Neck

Flexi neck tool holders for gutter cleaning. Fits 44mm carbon fibre suction poles.



Ordering & Prices

VXFN180 Flexi Neck 180 Degree Tool Holder
VXFN135 Flexi Neck 135 Degree Tool Holder
VXFN90 Flexi Neck 90 Degree Tool Holder

Replacement Filters

Replacement cartridge filters.



Ordering & Prices

VXCF Cartridge Filter (for Mid & Premium Gutter Vac)
VXELF Piccolo Vacuum Filter

Carry Bag For Poles and Accessories

H: 62" (157cm) W: 12" (30cm) D: 6" (15cm)



Ordering & Prices

VXCB Carry Bag

Gutter Fork

Attach the gutter fork to the end of a pole to lift out stubborn clumps of grass and moss. This tool will fit to our Grafter pole (European or German thread pole fittings).



Ordering & Prices

VXGF Gutter Fork

Flexi Hose - 6m

For connecting to drum and to suction poles. 6 metres.



Ordering & Prices

VXFH38 Flexi Hose 38mm

Hose To Drum Cuff

For connecting a flexi hose to the vacuum drum.



Ordering & Prices

VXHDC38 Hose To Drum Cuff 38mm
VXHDC Hose To Drum Cuff 50mm

Flexi Hose Cuff

38mm (to fit 38mm flexi hose) and 50mm (to fit 50mm flexi hose).



Ordering & Prices

VXFHC38 Flexi Hose Cuff 38mm
VXFHC Flexi Hose Cuff 50mm

Carbon Fibre Half Pole

Super lightweight, super strong carbon fibre construction. Compatible with existing standard 50mm suction poles.



Ordering & Prices

VX50HP Carbon fibre half pole 0.75m

MOERMAN HAND TOOLS & ACCESSORIES

Moerman Microfibre Sleeve & T-Bar

High quality applicator sleeve and T-Bar from Moerman. Highly absorbent micro fibre sleeve with an abrasive pad at one end. Ergonomically designed T-Bar for comfortable, all day use.



Ordering & Prices

MRMNMS25	Microfibre Sleeve 25cm
MRMNMS35	Microfibre Sleeve 35cm
MRMNMS45	Microfibre Sleeve 45cm
MRMNBCT25	T-Bar -25cm
MRMNBCT35	T-Bar -35cm
MRMNBCT45	T-Bar -45cm
MRMNSTB25	Swivel T-Bar -25cm
MRMNSTB35	Swivel T-Bar -35cm
MRMNSTB45	Swivel T-Bar -45cm

Moerman Stainless Steel Squeegee

High quality stainless steel squeegee channel with quick release mechanism. Ergonomically designed handle with optimum reach.



Ordering & Prices

MRMNBCH	Bi-Component Handle
MRMNR25	Rubber 25cm
MRMNR35	Rubber 35cm
MRMNR45	Rubber 45cm
MRMNCH25	S/S Channel w/Rubber 25cm
MRMNCH35	S/S Channel w/Rubber 35cm
MRMNCH45	S/S Channel w/Rubber 45cm

Liquidator Squeegee Channel

The Liquidator squeegee channel has moulded tips and an angled edge channel.



Ordering & Prices

S/S Channel w/Liquidator Rubber 25cm	Rubber only
S/S Channel w/Liquidator Rubber 35cm	Rubber only
S/S Channel w/Liquidator Rubber 45cm	Rubber only

Moerman Combinator

A unique and innovative combination tool designed using Moerman's E.A.S.E. principles. Created to save you time and make you more money.



Ordering & Prices

MRMNCOMB	COMBINATOR handle
MRMNCSLV25	COMBINATOR Sleeve 25cm
MRMNCSLV35	COMBINATOR Sleeve 35cm
MRMNCSLV45	COMBINATOR Sleeve 45cm
MRMNCTB25	COMBINATOR T-Bar 25cm
MRMNCTB35	COMBINATOR T-Bar 35cm
MRMNCTB45	COMBINATOR T-Bar 45cm

Moerman EXCELERATOR

Engineered to be easy to use, stable and sculpted to fit comfortably in your hand.



Ordering & Prices

MRMNEXCEL	EXCELERATOR handle
MRMNEXCEL2	EXCELERATOR handle 2.0

Moerman F*LIQ

Ergonomically designed Squeegee for comfortable, all-day use, making the FLIQ a versatile and adaptable hand tool.



*Handle not included

Ordering & Prices

MRMNFLIQ25	Moerman F*LIQ 25cm
MRMNFLIQ35	Moerman F*LIQ 35cm
MRMNFLIQ45	Moerman F*LIQ 45cm

Belt & Tool Holder

Professional window cleaners belt and tool holder. Belt is fully adjustable with a quick release buckle.



Ordering & Prices

MRMNBLT	Moerman Belt
MRMNTH	Moerman Tool Holder

Hydra Moerman Tool Adapter

Connects the Hydra Vertigo Quick Release waterfed pole head to a range of Moerman handtools.



Ordering & Prices

VMA	Hydra Moerman Adapter
-----	-----------------------

Moerman Bucket

Robust window cleaning bucket with comfortable carrying handle.



Holds 22 litres of water.

Ordering & Prices

MRMNB22	Moerman 22L Bucket
---------	--------------------

Moerman Extension Pole

Lightweight and strong 3m and 5m extension pole for use with Moerman hand tools.



Ordering & Prices

MRMN3EP	Moerman 3m Extension Pole
MRMN5EP	Moerman 5m Extension Pole

Moerman Scrapers

Heavy duty scrapers with easy release blade mechanism. The scraping head has a plastic safety guard to protect users.



Ordering & Prices

MRMNPS	Moerman Premium Scraper
MRMNSB25	Replacement Blades 0.2mm (25pk)

VEHICLE FLOOR PROTECTION



Robust Vehicle Flooring

We can apply a hard wearing, waterproof vehicle lining that protects your van floor from rust, damage and water ingress.

With vehicle floor protection you won't need to worry about water spillages, scratches or other damage that can occur to a hard working van.

The lining is applied to the van floor and the lower section of the sides for maximum protection. Water simply runs off without even coming into contact with the paintwork.

Floor protection can be applied to almost any vehicle, and is so robust that it lasts for years.



Ordering & Prices

Small Vans
Medium Vans
Large Vans

Price



Ionic Systems Ltd

7-8 Westerngate
Hillmead Enterprise Park
Swindon, Wiltshire
SN5 5WN

Telephone: (01793) 871386

Email: info@ionicsystems.com

www.ionicsystems.com

Visit us on our Website!



Discover

more on our social media channels

